

## Strengthening Induced by Grain Boundary Solute Segregations in Ultrafine-Grained and Nanocrystalline Alloys: a Brief Review

S.V. Bobylev<sup>1</sup> and [A.G. Sheinerman](#)<sup>1,2</sup>

<sup>1</sup>[Institute of Problems of Mechanical Engineering, Russian Academy of Sciences, St. Petersburg 199178, Russia](#)

<sup>2</sup>[Saint Petersburg State University, 7/9 Universitetskaya nab., St. Petersburg 199034, Russia](#)

Received: February 18, 2020

Corresponding author: [S.V. Bobylev](#)

**Abstract.** The experimental data, computer simulations and analytical models describing strengthening mechanisms acting in nanocrystalline and ultrafine-grained alloys containing grain boundary solute segregations are briefly reviewed. We demonstrate the important role of grain boundary solute segregation in strength enhancement of ultrafine-grained alloys. We show that these segregations allow reaching yield strength exceeding one predicted by Hall-Petch dependence. Available experimental and theoretical data indicate that strengthening induced by grain boundary solute segregations is achieved by either suppressing dislocation emission from GBs or hampering dislocation slip through grain interiors.

### REFERENCES

- [1] I.A. Ovid'ko, R.Z. Valiev, and Y.T. Zhu, *Review on superior strength and enhanced ductility of metallic nanomaterials*, Prog Mater Sci, 2018, vol. 94, pp. 462-540.
- [2] I.A. Ovid'ko and A.G. Sheinerman, *Grain boundary sliding, triple junction disclinations and strain hardening in ultrafine-grained and nanocrystalline metals*, Int J Plasticity, 2017, vol. 96, pp. 227-241.
- [3] Y. Estrin and A. Vinogradov, *Extreme grain refinement by severe plastic deformation: A wealth of challenging science*, Acta Mater, 2013, vol. 61, no. 3, pp. 782-817.
- [4] A. Vinogradov and Y. Estrin, *Analytical and numerical approaches to modelling severe plastic deformation*, Prog Mater Sci, 2018, vol. 95, pp. 172-242.
- [5] J. Liu, A.S. Khan, L. Takacs, and C.S. Meredith, *Mechanical behavior of ultrafine-grained/nanocrystalline titanium synthesized by mechanical milling plus consolidation: Experiments, modeling and simulation*, Int. J. Plast., 2015, vol. 64, pp. 151-163.
- [6] I.C. Choi, D.H. Lee, B. Ahn, K. Durst, M. Kawasaki, T.G. Langdon, and J.I. Jang, *Enhancement of strain-rate sensitivity and shear yield strength of a magnesium alloy processed by high-pressure torsion*, Scr. Mater., 2015, vol. 94, pp. 44-47.

- [7] Y. Aoyagi, T. Tsuru, and T. Shimokawa, *Crystal plasticity modeling and simulation considering the behavior of the dislocation source of ultrafine-grained metal*, *Int. J. Plast.*, 2014, vol. 55, pp. 43-57.
- [8] A.S. Khan and J. Liu, *A deformation mechanism based crystal plasticity model of ultrafine-grained/nanocrystalline FCC polycrystals*, *Int. J. Plast.*, 2016, vol. 86, pp. 56-69.
- [9] Z.C. Cordero, B.E. Knight, and C.A. Schuh, *Six decades of the Hall-Petch effect - a survey of grain-size strengthening studies on pure metals*, *Int. Mater. Rev.*, 2016, vol. 61, no. 8, pp. 495-512.
- [10] Y. Li, A.J. Bushby, and D.J. Dunstan, *The Hall-Petch effect as a manifestation of the general size effect*, *Proc. Royal Soc. Lond. A*, 2016, vol. 472, no. 2190, pp. Art. no. 20150890.
- [11] E.N. Hahn and M.A. Meyers, *Grain-size dependent mechanical behavior of nanocrystalline metals*, *Mater. Sci. Eng. A*, 2015, vol. 646, pp. 101-134.
- [12] L. Tian, *A short review on mechanical behavior of nanocrystalline materials*, *Int. J. Metall. Met. Phys.*, 2017, vol. 2, no. 1, pp. 2008-1 – 2008-13.
- [13] R.W. Armstrong, *Dislocation pile-ups, strength properties and fracturing*, *Rev. Adv. Mater. Sci.*, 2017, vol. 48, no. 1, pp. 1-12.
- [14] X. Sauvage, A. Ganeev, Y. Ivanisenko, N. Enikeev, M. Murashkin, and R. Valiev, *Grain Boundary Segregation in UFG Alloys Processed by Severe Plastic Deformation*, *Adv. Eng. Mater.*, 2012, vol. 14, no. 11, pp. 968-974.
- [15] X. Sauvage, N. Enikeev, R. Valiev, Y. Nasedkina, and M. Murashkin, *Atomic-scale analysis of the segregation and precipitation mechanisms in a severely deformed Al-Mg alloy*, *Acta Mater.*, 2014, vol. 72, pp. 125-136.
- [16] R.Z. Valiev, N.A. Enikeev, M.Y. Murashkin, V.U. Kazykhanov, and X. Sauvage, *On the origin of the extremely high strength of ultrafine-grained Al alloys produced by severe plastic deformation*, *Scr. Mater.*, 2010, vol. 63, no. 9, pp. 949-952.
- [17] P.V. Liddicoat, X.Z. Liao, Y. Zhao, Y. Zhu, M.Y. Murashkin, E.J. Lavernia, R.Z. Valiev, and S.P. Ringer, *Nanostructural hierarchy increases the strength of aluminium alloys*, *Nat. Commun.*, 2010, vol. 1, pp. 63.
- [18] R.Z. Valiev, N.A. Enikeev, and T.G. Langdon, *Towards superstrength of nanostructured metals and alloys, produced by SPD*, *Kovove Mater.*, 2011, vol. 49, no. 1, pp. 1-9.
- [19] R.Z. Valiev, M.Y. Murashkin, A.V. Ganeev, and N.A. Enikeev, *Superstrength of nanostructured metals and alloys produced by severe plastic deformation*, *Phys. Metals Metallogr.*, 2012, vol. 113, no. 13, pp. 1193-1201.
- [20] M.M. Abramova, N.A. Enikeev, R.Z. Valiev, A. Etienne, B. Radiguet, Y. Ivanisenko, and X. Sauvage, *Grain boundary segregation induced strengthening of an ultrafine-grained austenitic stainless steel*, *Mater. Lett.*, 2014, vol. 136, pp. 349-352.
- [21] G. Sha, K. Tugcu, X.Z. Liao, P.W. Trimby, M.Y. Murashkin, R.Z. Valiev, and S.P. Ringer, *Strength, grain refinement and solute nanostructures of an Al-Mg-Si alloy (AA6060) processed by high-pressure torsion*, *Acta Mater.*, 2014, vol. 63, pp. 169-179.
- [22] J.G. Kim, N.A. Enikeev, J.B. Seol, M.M. Abramova, M.V. Karavaeva, R.Z. Valiev, C.G. Park, and H.S. Kim, *Superior Strength and Multiple Strengthening Mechanisms in Nanocrystalline TWIP Steel*, *Sci. Rep.*, 2018, vol. 8, no. 1, pp. 11200.
- [23] S. Takaki, D. Akama, N. Nakada, and T. Tsuchiyama, *Effect of Grain Boundary Segregation of Interstitial Elements on Hall-Petch Coefficient in Steels*, *Mater. Trans.*, 2014, vol. 55, no. 1, pp. 28-34.
- [24] A. Khalajhedayati, Z.L. Pan, and T.J. Rupert, *Manipulating the interfacial structure of nanomaterials to achieve a unique combination of strength and ductility*, *Nat. Commun.*, 2016, vol. 7, pp. Art. no. 10802.
- [25] S. Ozerinc, K.P. Tai, N.O. Vo, P. Bellon, R.S. Averback, and W.P. King, *Grain boundary doping strengthens nanocrystalline copper alloys*, *Scr. Mater.*, 2012, vol. 67, no. 7-8, pp. 720-723.
- [26] P. Zhang, J.Y. Zhang, J. Li, G. Liu, K. Wu, Y.Q. Wang, and J. Sun, *Microstructural evolution, mechanical properties and deformation mechanisms of nanocrystalline Cu thin films alloyed with Zr*, *Acta Mater.*, 2014, vol. 76, pp. 221-237.

- [27] H. Jia, R. Bjørge, L. Cao, H. Song, K. Marthinsen, and Y. Li, *Quantifying the grain boundary segregation strengthening induced by post-ECAP aging in an Al-5Cu alloy*, *Acta Mater.*, 2018, vol. 155, pp. 199-213.
- [28] M. Rajagopalan, K. Darling, S. Turnage, R.K. Koju, B. Hornbuckle, Y. Mishin, and K.N. Solanki, *Microstructural evolution in a nanocrystalline Cu-Ta alloy: A combined in-situ TEM and atomistic study*, *Mater. Des.*, 2017, vol. 113, pp. 178-185.
- [29] K.I. Chang and S.I. Hong, *Effect of sulphur on the strengthening of a Zr-Nb alloy*, *J. Nucl. Mater.*, 2008, vol. 373, no. 1-3, pp. 16-21.
- [30] V. Borovikov, M.I. Mendeleev, and A.H. King, *Solute effects on interfacial dislocation emission in nanomaterials: Nucleation site competition and neutralization*, *Scr. Mater.*, 2018, vol. 154, pp. 12-15.
- [31] V. Turlo and T.J. Rupert, *Grain boundary complexions and the strength of nanocrystalline metals: Dislocation emission and propagation*, *Acta Mater.*, 2018, vol. 151, pp. 100-111.
- [32] V. Borovikov, M.I. Mendeleev, and A.H. King, *Effects of solutes on dislocation nucleation from grain boundaries*, *Int. J. Plast.*, 2017, vol. 90, pp. 146-155.
- [33] R.I. Babicheva, S.V. Dmitriev, L. Bai, Y. Zhang, S.W. Kok, G. Kang, and K. Zhou, *Effect of grain boundary segregation on the deformation mechanisms and mechanical properties of nanocrystalline binary aluminum alloys*, *Comput. Mater. Sci.*, 2016, vol. 117, pp. 445-454.
- [34] N.O. Vo, J. Schafer, R.S. Averback, K. Albe, Y. Ashkenazy, and P. Bellon, *Reaching theoretical strengths in nanocrystalline Cu by grain boundary doping*, *Scr. Mater.*, 2011, vol. 65, no. 8, pp. 660-663.
- [35] S. Jang, Y. Purohit, D.L. Irving, C. Padgett, D. Brenner, and R.O. Scattergood, *Influence of Pb segregation on the deformation of nanocrystalline Al: Insights from molecular simulations*, *Acta Mater.*, 2008, vol. 56, no. 17, pp. 4750-4761.
- [36] S.V. Bobylev, N.A. Enikeev, A.G. Sheinerman, and R.Z. Valiev, *Strength enhancement induced by grain boundary solute segregations in ultrafine-grained alloys*, *Int. J. Plast.*, 2019, vol. 123, pp. 133-144.